

SPECIFIEKE ZOEKSTRATEGIE NHG-STANDAARD OBESITAS

"Obesity"[Mesh] AND "cochrane database syst rev"[jour] AND (("1998"[EDat]:"2008"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))

"Obesity"[Majr] AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR (quantitativ* review*[tw] OR systematic* review*[tw] OR methodologic* review*[tw]) OR (review[pt] AND (medline[tw] OR Cochrane[tw])) NOT (letter[pt] OR comment[pt] OR editorial[pt])) AND (hasabstract[text] AND ("2003"[EDat]:"2008"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

"Obesity"[Majr] AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti])) AND (hasabstract[text] AND ("2003"[EDat]:"2008"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

"Obesity"[Majr] AND "family practice"[mh] AND (hasabstract[text] AND ("1999"[EDat]:"2008"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

"Obesity"[Majr] AND ((ethnic groups[MeSH] OR minority groups[MeSH] OR Africa,northern[MeSH] OR Middle East[MeSH] OR West Indies[MeSH] OR Asia,southeastern[MeSH] OR Surinam*[tw] OR Antillean*[tw] OR Suriname/ethnology[MeSH] OR Netherlands Antilles/ethnology[MeSH] OR Turkey/ethnology[MeSH] OR Morocco/ethnology[MeSH] OR Blacks[MeSH] OR African Continental Ancestry Group[mh]) AND (cross-cultural[tw] OR foreign-born[tw] OR cross-ethnic[tw] OR cultural diversity[MeSH] OR emigration and immigration[MeSH] OR immigrants[tw] OR comparative study[pt])) AND (hasabstract[text] AND ("1999"[EDat]:"2008"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

"Obesity"[Majr] AND (Ann Intern Med[Journal: __jrid596] OR Arch Intern Med[Journal: __jrid767] OR BMJ[Journal: __jrid2274] OR Br J Gen Pract[Journal: __jrid1689] OR Eur J Gen Pract[Journal: __jrid31712] OR Fam Pract[Journal: __jrid3811] OR J Fam Pract[Journal: __jrid4734] OR JAMA[Journal: __jrid5346] OR Lancet[Journal: __jrid5470] OR N Engl J Med[Journal: __jrid5985] OR Ned Tijdschr Geneeskd[Journal: __jrid6028] OR Qual Saf Health Care[Journal: __jrid27051] OR Scand J Prim Health Care[Journal: __jrid7186]) AND (hasabstract[text] AND ("1999"[EDat]:"2008"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

"Obesity"[Majr] AND ("sex factors"[majr] OR gender[ti] OR sex-specific[ti]) AND (hasabstract[text] AND ("1999"[EDat]:"2008"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

obesity[majr] AND ("body mass index"[mh] OR "body weight"[mh]) AND ("ethnic groups"[mh] OR minority groups[mh] OR "social class"[mh]) AND (prevalence[mh] OR "risk factors"[mh]) AND (epidemiology[sh] OR etiology[sh] OR ethnology[sh] OR "statistics and numerical data"[sh]) AND (("1990"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang])) AND (Clinical Trial[ptyp] OR Meta-Analysis[ptyp] OR Randomized Controlled Trial[ptyp] OR Review[ptyp]))

("Eating"[Mesh] OR "food consumption"[tw] OR "meal pattern"[tw] OR "food intake"[tw]) AND ("Ethnic Groups"[Mesh] OR ethnology[sh]) AND (dutch[tw] OR netherlands[tw]) AND (("1990"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

("Adiposity"[Majr] OR "Body Fat Distribution"[Majr]) AND ("Ethnic Groups"[Mesh] OR "ethnology "[Subheading]) AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

("diabetes mellitus, type 2"[MeSH Terms] OR "T2DM"[tiab] OR "DM2"[tiab] OR "diabetes"[tiab] OR "diabetes mellitus"[tiab] OR "diabetes mellitus type 2"[tiab] OR "diabetes type 2"[tiab] OR "type 2 diabetes mellitus"[tiab] OR "NIDDM"[tiab] OR "non insulin dependent diabetes mellitus"[tiab] OR "type 2 diabetes"[tiab] OR "diabetic"[tiab]) NOT ("Diabetes Mellitus, Type 1"[Mesh] OR "T1DM"[tiab] OR "DM1"[tiab] OR "diabetes mellitus type 1"[tiab] OR "diabetes type 1"[tiab] OR "type 1 diabetes mellitus"[tiab] OR "type 1 diabetes"[tiab]) AND ("insulin"[MeSH Terms] OR "Insulin therapy"[tiab]) AND (glycem*[tiab] OR glycaem*[tiab] OR "hba1c"[tiab] OR hypoglycaem*[tiab] OR hypoglycem*[tiab] OR hyperglycaem*[tiab] OR hyperglycem*[tiab] OR "glucose"[tiab] OR "insulin dose"[tiab] OR "insulin dosage"[tiab] OR "weight"[tiab] OR "BMI"[tiab] OR "body mass index"[tiab] OR "quality of life"[tiab]) AND ("clinical trial"[pt] OR "randomized controlled trial"[pt] OR "controlled clinical trial"[pt]) NOT (editorial[pt] OR comment[pt] OR letter[pt]) AND (human[mh]) AND (english[la]) NOT (child* OR adolescent* OR "youth" OR "metabolic syndrome") AND (("2000/01/01"[PDat] : "2008/04/01"[PDat]))

"Drug Therapy/adverse effects"[Mesh] AND obesity[mh] AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

("diabetes mellitus, type 2"[MeSH Terms] OR "T2DM"[tiab] OR "DM2"[tiab] OR "diabetes"[tiab] OR "diabetes mellitus"[tiab] OR "diabetes mellitus type 2"[tiab] OR "diabetes type 2"[tiab] OR "type 2 diabetes mellitus"[tiab] OR "NIDDM"[tiab] OR "non insulin dependent diabetes mellitus"[tiab] OR "type 2 diabetes"[tiab] OR "diabetic"[tiab]) NOT ("Diabetes Mellitus, Type 1"[Mesh] OR "T1DM"[tiab] OR "DM1"[tiab] OR "diabetes mellitus type 1"[tiab] OR "diabetes type 1"[tiab] OR "type 1 diabetes mellitus"[tiab] OR "type 1 diabetes"[tiab]) AND ("insulin"[MeSH Terms] OR "Insulin therapy"[tiab]) AND (glycem*[tiab] OR glycaem*[tiab] OR "hba1c"[tiab] OR hypoglycaem*[tiab] OR hypoglycem*[tiab] OR hyperglycaem*[tiab] OR hyperglycem*[tiab] OR "glucose"[tiab] OR "insulin dose"[tiab] OR "insulin dosage"[tiab] OR "weight"[tiab] OR "BMI"[tiab] OR "body mass index"[tiab] OR "quality of life"[tiab]) AND ("clinical trial"[pt] OR "randomized controlled trial"[pt] OR "controlled clinical trial"[pt]) NOT (editorial[pt] OR comment[pt] OR letter[pt]) AND (human[mh]) AND (english[la]) NOT (child* OR adolescent* OR "youth" OR "metabolic syndrome" OR "gestational diabetes" AND (("2000/01/01"[PDat] : "2008/04/01"[PDat]) AND (Humans[Mesh]) AND (English[lang]) AND (adult[MeSH:noexp] OR middle age[MeSH] OR (middle age[MeSH] OR aged[MeSH]) OR aged[MeSH] OR aged, 80 and over[MeSH])) AND (("2000/01/01"[PDat] : "2008/04/01"[PDat]))

"overweight"[majr] AND (risk[majr] OR "risk factors"[majr] OR mortality[majr]) AND complications[sh] AND (("1990"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

("ethnic groups"[Mesh] OR "minority groups"[mh]) AND ("Obesity/classification"[Mesh] OR "Obesity/diagnosis"[Mesh]) AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]) AND ((infant[MeSH] OR child[MeSH] OR adolescent[MeSH])))

("age factors"[Mesh] OR (onset[tw] AND puberty[tw])) AND ("Obesity/classification"[Mesh] OR "Obesity/diagnosis"[Mesh]) AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]) AND ((infant[MeSH] OR child[MeSH] OR adolescent[MeSH])))

"Body Composition"[Mesh] AND ("Obesity/classification"[Mesh] OR "Obesity/diagnosis"[Mesh]) AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]) AND ((infant[MeSH] OR child[MeSH] OR adolescent[MeSH])))

"Surgical Procedures, Operative"[Majr] AND "obesity/surgery"[majr] AND methods[sh] AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

("obesity"[Majr] OR "overweight"[Majr]) AND ("metabolism"[Subheading] OR "physiology"[Subheading]) AND ("predictive value of tests"[mh] OR "prospective studies"[mh] OR "cohort studies"[mh]) AND ("risk"[MeSH Terms] OR "risk factors"[mh] OR "risk assessment"[mh]) AND (("2000"[EDAT] : "2009"[EDAT]) AND "humans"[MeSH Terms] AND (English[lang] OR Dutch[lang]) AND ("infant"[MeSH Terms] OR "child"[MeSH Terms] OR "adolescent"[MeSH Terms]))

"obesity"[majr] AND "depression"[majr] AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh])) AND (English[lang] OR Dutch[lang]))

(overweight[mh] OR obesity[mh]) AND "breast feeding"[mh] AND (familial[tw] OR genetic*[tw]) AND (("1990"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

"overweight/etiology"[majr] AND comorbidity[mh] AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

"prevention and control "[Subheading] AND "Obesity"[Mesh] AND ("Parents"[Mesh] OR "Family"[Mesh]) AND (((general OR family OR primary OR ambulatory) AND (care OR practice OR practitioner OR physician OR doctor)) OR outpatients[mh] OR Physicians, family[mh] OR Primary health care[mh]) AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

"anti-obesity agents"[majr] AND "Obesity"[majr] AND "treatment outcome"[mh] AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

"anti-obesity agents/therapeutic use"[majr] AND "Obesity"[majr] AND "treatment outcome"[mh] AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]) AND ((infant[MeSH] OR child[MeSH] OR adolescent[MeSH])))

"anti-obesity agents/therapeutic use"[majr] AND "Obesity"[majr] AND "treatment outcome"[mh] AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]) AND (adult[MeSH])))

"obesity/drug therapy"[majr] AND "treatment outcome"[mh] AND (rate[tw] OR percentage[tw]) AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

"obesity/statistics and numerical data"[majr] AND (prevalence[mh] OR incidence[mh]) AND (dutch[tw] OR netherlands[tw]) AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

overweight[majr] AND interventions[tiab] AND "prevention AND control"[sh] AND
(("2005"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

"Body Composition"[Mesh] AND ("Obesity/classification"[Mesh] OR "Obesity/diagnosis"[Mesh])
AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang])
AND (adult[MeSH]))

obesity[majr] AND "exercise therapy"[majr] NOT ("drug therapy"[mh] OR "drug therapy"[sh]
OR "therapeutic use"[sh]) AND (("2005"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND
(English[lang] OR Dutch[lang]))

obesity[majr] AND ("exercise therapy"[majr] OR "diet therapy"[majr]) NOT ("drug therapy"[mh]
OR "drug therapy"[sh] OR "therapeutic use"[sh]) AND (percentage[tw] OR rate[tw]) AND
(("2005"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

("ethnic groups"[Mesh] OR "minority groups"[mh]) AND ("Obesity/classification"[Mesh]
OR "Obesity/diagnosis"[Mesh]) AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND
(English[lang] OR Dutch[lang]) AND (adult[MeSH]))

"obesity"[majr] AND "quality of life"[mh] AND (((general OR family OR primary OR ambulatory)
AND (care OR practice OR practitioner OR physician OR doctor)) OR outpatients[mh] OR
Physicians, family[mh] OR Primary health care[mh]) AND (("2000"[EDat]:"2009"[EDat]) AND
(Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

("overweight"[Majr] OR obesity[majr]) AND "weight loss"[majr] AND (mortality[mh] OR
comorbidity[mh] OR mortality[sh]) AND (("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh])
AND (English[lang] OR Dutch[lang]))

obesity[majr] AND "metabolic syndrome X"[majr] AND (relation*[tw] OR association[tw]) AND
(("2000"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]))

obesity[majr] AND "diet therapy"[majr] NOT ("drug therapy"[mh] OR "drug therapy"[sh]
OR "therapeutic use"[sh]) AND (("2005"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND
(English[lang] OR Dutch[lang]))

obesity[majr] AND "age factors"[mh] AND "treatment outcome"[mh] AND
(("1990"[EDat]:"2009"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR Dutch[lang]) AND
((middle age[MeSH] OR aged[MeSH]) OR aged[MeSH] OR aged, 80 and over[MeSH]))

"overweight/etiology"[majr] AND cause*[ti] AND (("2000"[EDat]:"2009"[EDat]) AND
(Humans[Mesh]) AND (English[lang] OR Dutch[lang]))