

SPECIFIEKE ZOEKSTRATEGIE NHG-STANDAARD MAAGKLACHTEN

Oriënterende search, mei 2010

"Dyspepsia"[Mesh] AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR (quantitativ* AND review*[tw] OR systematic* AND review*[tw] OR methodologic* AND review*[tw]) OR (review[pt] AND (medline[tw] OR Cochrane[tw])) NOT (letter[pt] OR comment[pt] OR editorial[pt])) AND ((Humans[Mesh]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))

"Dyspepsia"[Mesh] AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti])) AND (("2002"[EDat] : "3000"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))

"Dyspepsia"[Mesh] AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw]) AND (("2002"[EDat] : "3000"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))

"Dyspepsia"[Mesh] AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti]) AND (("2002"[EDat] : "3000"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))

"Dyspepsia"[Mesh] AND ("Sick Leave"[Mesh] OR "Rehabilitation, Vocational"[Mesh] OR "Occupational Health"[Mesh] OR "Absenteeism"[Mesh]) AND (("2002"[EDat] : "3000"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))

"Dyspepsia"[Mesh] AND (Ann Intern Med[Journal] OR Arch Intern Med[Journal] OR BMJ[Journal] OR Br J Gen Pract[Journal] OR Eur J Gen Pract[Journal] OR Fam Pract[Journal] OR J Fam Pract[Journal] OR JAMA[Journal] OR Lancet[Journal] OR N Engl J Med[Journal] OR Ned Tijdschr Geneeskde[Journal] OR Qual Saf Health Care[Journal] OR Scand J Prim Health Care[Journal]) AND (("2002"[EDat] : "3000"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))

"Dyspepsia"[Mesh] AND (gender*[tw] OR (boy*[ti] OR girl*[ti]) OR (women[ti] OR men[ti]) OR (male[ti] OR female[ti])) AND (("2002"[EDat] : "3000"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))

"Dyspepsia"[Mesh] AND ("emergency treatment"[mh] OR "emergency medical services"[mh] OR "first aid"[mh] OR "emergency service, hospital"[mh] OR triage[mh] OR "emergency room"[tw] OR ER[tw]) AND (("2002"[EDat] : "3000"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))

("gastroesophageal reflux"[Mesh] OR GERD[tw]) NOT (surgery OR endoscopy)) AND (gender*[tw] OR (boy*[ti] OR girl*[ti]) OR (women[ti] OR men[ti]) OR (male[ti] OR female[ti])) AND (("2002"[EDat] : "3000"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))

("gastroesophageal reflux"[Mesh] OR GERD[tw]) NOT (surgery OR endoscopy)) AND ("emergency treatment"[mh] OR "emergency medical services"[mh] OR "first aid"[mh] OR "emergency service,

hospital"[mh] OR triage[mh] OR "emergency room"[tw] OR ER[tw]) AND (("2002"[EDat] : "3000"[EDat]) AND (Humans[Mesh]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))

Specifieke searches, mei 2010 – februari 2012

("dyspepsia/diagnosis"[mh] OR "dyspepsia/etiology"[mh]) AND ("medical history taking"[mh] OR "predictive value of tests"[mh] OR "endoscopy, gastrointestinal"[mh] OR "endoscopy, digestive system"[mh])

("dyspepsia/diagnosis"[mh] OR "dyspepsia/etiology"[mh]) AND ("medical history taking"[mh] OR "predictive value of tests"[mh] OR "endoscopy, gastrointestinal"[mh] OR "endoscopy, digestive system"[mh]) AND ("primary care"[tw] OR "family practice"[tw])

("Proton Pump Inhibitors"[Mesh] OR "Proton Pump Inhibitors "[Pharmacological Action]) OR "test and treat"[tiab] AND (randomized controlled trial[pt] OR drug therapy[sh] OR therapeutic use[sh:noexp] OR random*[tw] OR effectiveness[tiab]) AND (comparison[tw] OR versus[tw])

("Dyspepsia"[Mesh] AND (uninvestigated[tiab] OR "new onset"[tiab])) AND (("Antacids"[Mesh] OR "Antacids "[Pharmacological Action]) OR ("Histamine H2 Antagonists"[Mesh] OR "Histamine H2 Antagonists "[Pharmacological Action]) OR ("Proton Pump Inhibitors"[Mesh] OR "Proton Pump Inhibitors "[Pharmacological Action]) OR ("step-up"[tiab] OR "step-down"[tiab] OR "step up"[tiab] OR "step down"[tiab]))

"Dyspepsia"[Mesh] AND (("Antacids"[Mesh] OR "Antacids "[Pharmacological Action]) OR ("Histamine H2 Antagonists"[Mesh] OR "Histamine H2 Antagonists "[Pharmacological Action]) OR ("Proton Pump Inhibitors"[Mesh] OR "Proton Pump Inhibitors "[Pharmacological Action]) OR ("step-up"[tiab] OR "step-down"[tiab] OR "step up"[tiab] OR "step down"[tiab]) OR "test and treat"[tiab]) AND (randomized controlled trial[pt] OR drug therapy[sh] OR therapeutic use[sh:noexp] OR random*[tw] OR effectiveness[tiab]) AND (comparison[tw] OR versus[tw] OR association[tw] OR relation[tw])

"gastroesophageal reflux"[majr] AND (("Antacids"[Mesh] OR "Antacids "[Pharmacological Action]) OR ("Histamine H2 Antagonists"[Mesh] OR "Histamine H2 Antagonists "[Pharmacological Action]) OR ("Proton Pump Inhibitors"[Mesh] OR "Proton Pump Inhibitors "[Pharmacological Action]) OR ("step-up"[tiab] OR "step-down"[tiab] OR "step up"[tiab] OR "step down"[tiab]) OR "test and treat"[tiab]) AND (randomized controlled trial[pt] OR drug therapy[sh] OR therapeutic use[sh:noexp] OR random*[tw] OR effectiveness[tiab]) AND (comparison[tw] OR versus[tw] OR association[tw] OR relation[tw])

dyspepsia[mh] AND ("Proton Pump Inhibitors"[Mesh] OR "Proton Pump Inhibitors "[Pharmacological Action]) OR "test and treat"[tiab] OR "empirical acid suppression"[tiab] OR "empirical antisecretory therapy"[tiab] AND (effectiveness[tiab] OR cost[tiab] OR "quality adjusted life years"[mh] OR "quality of life"[mh] OR "patient satisfaction"[mh] OR "treatment outcome"[mh] OR "outcome assessment (health care)"[mh]) AND (comparison[tw] OR compared[tw] OR versus[tw])

("dyspepsia"[majr] OR "gastroesophageal reflux"[majr]) AND (("diet"[MeSH Terms] OR "body weight"[MeSH Terms] OR "body mass index"[mh] OR "weight loss"[mh]) OR "life style"[tw] OR (position[tiab] AND ("beds"[MeSH Terms] OR bed[tiab] OR trendelenburg[tiab]))) NOT surgery

dyspepsia[mh] AND (psychotherapy[mh] OR "cognitive therapy"[mh] OR "psychological intervention"[tiab] OR "psychological interventions"[tiab])

"dyspepsia"[mh] AND ("antidepressive agents/therapeutic use"[mh] OR "serotonin uptake inhibitors/therapeutic use"[mh])

("Proton Pump Inhibitors"[Mesh] OR "Proton Pump Inhibitors "[Pharmacological Action]) OR ("Histamine H2 Antagonists"[Mesh] OR "Histamine H2 Antagonists "[Pharmacological Action]) AND ("Dyspepsia"[Mesh] OR "Gastroesophageal Reflux"[Mesh]) AND ("risk"[tiab] OR "risk factors"[mh] OR

"adverse effects"[sh] OR complications[tw] AND (long-term[tw] OR "long term"[tw] OR chronic[tw] OR "time factors"[mh])

("Proton Pump Inhibitors"[Mesh] OR "Proton Pump Inhibitors "[Pharmacological Action]) OR ("Histamine H2 Antagonists"[Mesh] OR "Histamine H2 Antagonists "[Pharmacological Action]) AND ("Dyspepsia"[Mesh] OR "Gastroesophageal Reflux"[Mesh]) AND (reduce*[tiab] OR reducing[tiab] OR lower*[tiab])

((("Proton Pump Inhibitors"[Mesh] OR "Proton Pump Inhibitors "[Pharmacological Action]) OR ("Histamine H2 Antagonists"[Mesh] OR "Histamine H2 Antagonists "[Pharmacological Action]) AND ("Dyspepsia"[Mesh] OR "Gastroesophageal Reflux"[Mesh]) AND ("time factors"[mh] OR withdraw*[tiab]) AND ((English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND ("2002"[PDat] : "3000"[PDat]))) NOT (("Proton Pump Inhibitors"[Mesh] OR "Proton Pump Inhibitors "[Pharmacological Action]) OR ("Histamine H2 Antagonists"[Mesh] OR "Histamine H2 Antagonists "[Pharmacological Action]) AND ("Dyspepsia"[Mesh] OR "Gastroesophageal Reflux"[Mesh]) AND (reduce*[tiab] OR reducing[tiab] OR lower*[tiab]) AND ((Clinical Trial[ptyp] OR Meta-Analysis[ptyp] OR Randomized Controlled Trial[ptyp] OR Controlled Clinical Trial[ptyp] OR Research Support, Non U S Gov't[ptyp]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]) AND ("2002"[PDat] : "3000"[PDat])))

(dyspepsia[tiab] OR GORD[tiab] OR GERD[tiab]) AND (PPI[tiab] OR H2-antagonist*[tiab]) AND (randomised OR randomized OR meta-anal* OR systematic)

(dyspepsia[ti] OR "dyspepsia"[MeSH Terms] OR peptic ulcer[ti] OR "peptic ulcer"[MeSH Terms] OR reflux[ti] OR "gastroesophageal reflux"[MeSH Terms]) AND (1990[PDAT] : 3000[PDAT]) AND ("coffee"[MeSH Terms] OR coffee[Text Word] OR "alcohols"[MeSH Terms] OR alcohol[Text Word] OR "diet"[MeSH Terms] OR diet[Text Word] OR "food"[MeSH Terms] OR food[Text Word] OR "weights and measures"[MeSH Terms] OR "body weight"[MeSH Terms] OR weight[Text Word] OR peppermint[Text Word] OR "cacao"[MeSH Terms] OR cacao[Text Word] OR spicy[All Fields] OR spiced[All Fields] OR "life style"[All Fields] OR "sleep"[MeSH Terms] OR sleep[Text Word] OR "sleep"[MeSH Terms] OR "sleep"[All Fields] OR "sleeping"[All Fields] OR position[All Fields] OR "bulimia"[MeSH Terms] OR "beds"[MeSH Terms] OR bed[Text Word]) AND (english[la] OR dutch[la] OR german[la]) AND (review[pt] OR meta-analysis[pt] OR clinical trial[pt] OR editorial[pt]) NOT "Helicobacter pylori"[All Fields] AND "prevalence"[MeSH Terms]

(antidepressants[tiab] OR anxiolytics[tiab] OR "Antidepressive Agents"[Pharmacological Action] OR "Antidepressive Agents"[Mesh] OR "Antidepressive Agents, Tricyclic"[Mesh] OR "Serotonin Uptake Inhibitors"[Pharmacological Action] OR "Serotonin Uptake Inhibitors"[Mesh]) AND ("Dyspepsia"[Mesh] OR dyspepsia[tiab]) AND (randomized[tw] OR randomised[tw] OR meta-anal*[tw])

("Helicobacter pylori"[mh] OR "Helicobacter Infections"[mh] OR H. pylori infection[tiab] OR Helicobacter pylori infection[tiab]) AND ("Breath Tests"[Mesh] OR "Urea/analysis"[Mesh] OR "Urea/blood"[Mesh] OR urea breath test[tiab] OR stool antigen test[tiab] OR blood test[tiab] OR non-invasive[tiab] OR serolog*[tiab]) AND ("Predictive Value of Tests"[Mesh] OR "Sensitivity and Specificity"[Mesh]) NOT (child[ti] OR children[ti])