

ZOEKSTRATEGIE NHG-STANDAARD DIEP-VENEUZE TROMBOSE & LONGEMBOLIE (M86)

[NB: tussen vierkante haken staat per vraag het aantal gevonden artikelen vermeld]

Oriënterende searches, februari 2013

OS1 SR's [239]

("Venous Thrombosis"[Mesh] OR deep vein thrombosis[tiab]) AND ((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR ("quantitative review"[tw] OR "systematic review"[tw] OR "methodologic review"[tw]) OR (review[pt] AND Cochrane[tw]) NOT (letter[pt] OR comment[pt] OR editorial[pt]))

OS 2 richtlijnen [255]

("Venous Thrombosis"[Mesh] OR deep vein thrombosis[tiab]) AND (guideline[pt] OR practice guideline[pt] OR health planning guidelines[mh] OR consensus development conference[pt] OR consensus development conference, nih[pt] OR consensus development conferences as topic[mh] OR consensus development conferences, nih as topic[mh] OR guidelines[mh] OR practice guidelines as topic[mh] OR (consensus[ti] AND statement[ti]))

OS 3 eerstelijns [70]

("Venous Thrombosis"[Mesh] OR deep vein thrombosis[tiab]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw])

OS 4 etniciteit [107]

("Venous Thrombosis"[Mesh] OR deep vein thrombosis[tiab]) AND ("Ethnology"[Mesh] OR "ethnology"[Subheading] OR "Ethnic Groups"[Mesh] OR "Continental Population Groups"[Mesh] OR "Minority groups"[Mesh] OR "Suriname/ethnology"[mh] OR "Turkey/ethnology"[mh] OR "Netherlands Antilles/ethnology"[mh] OR "Morocco/ethnology"[mh] OR "Cultural diversity"[mh] OR Surinamese[ti] OR Antillean[ti] OR Moroccan[ti] OR Turkish[ti])

OS 5 arbeid [189]

("Venous Thrombosis"[Majr] OR deep vein thrombosis[tiab]) AND ("Sick Leave"[Mesh] OR "Rehabilitation, Vocational"[Mesh] OR "Occupational Health"[Mesh] OR "Absenteeism"[Mesh] OR "Workplace"[Mesh] OR "Employment"[Mesh] OR "Disability Evaluation"[Mesh] OR "Severity of Illness Index"[Mesh] OR "work ability"[tw] OR "employment status"[tw] OR "work disability"[tw] OR "work capacity"[tw] OR "functional impairment"[tw] OR disability[tw] OR "physical impairment"[tw] OR "functional capacity"[tw] OR "time off work"[tw] OR "inability to work"[tw] OR "productivity loss"[tw])

OS 6 onze tijdschriften [173]

("Venous Thrombosis"[Majr] OR deep vein thrombosis[tiab]) AND (Ann Intern Med[Journal] OR Arch Intern Med[Journal] OR BMJ[Journal] OR Br J Gen Pract[Journal] OR Eur J Gen Pract[Journal] OR Fam Pract[Journal] OR J Fam Pract[Journal] OR JAMA[Journal] OR Lancet[Journal] OR N Engl J Med[Journal] OR Ned Tijdschr Geneeskde[Journal] OR Qual Saf Health Care[Journal] OR Scand J Prim Health Care[Journal])

OS 7 sekse [205]

("Venous Thrombosis"[Majr] OR deep vein thrombosis[tiab]) AND (gender*[tw] OR (women[ti] OR men[ti]) OR (male[ti] OR female[ti]))

OS 8 spoed [115]

("Venous Thrombosis"[Majr] OR deep vein thrombosis[tiab]) AND ("emergency treatment"[mh] OR "emergency medical services"[mh] OR "first aid"[mh] OR "emergency service, hospital"[mh] OR triage[mh] OR "emergency room"[tw] OR ER[tw])

OS 9 patiëntenperspectief [74]

("Venous Thrombosis"[Majr] OR deep vein thrombosis[tiab]) AND ("patient participation"[MeSH Terms] OR "patient acceptance of health care"[MeSH Terms] OR "attitude to health"[MeSH Terms] OR "patient satisfaction"[MeSH Terms] OR "patient preference"[MeSH Terms] OR "family"[MeSH Terms] OR "caregivers"[MeSH Terms] OR patient perspective[tw] OR patient's perspective[tw] OR carer's perspective[tw] OR patient's view[tw] OR patient's views[tw] OR patients views[tw] OR patient views[tw])

Specifieke searches, april – juli 2013

Vrg 1 bedlegerig preventie [175]

"Venous Thrombosis"[mh] AND (prophylaxis[tw] OR prevention and control[sh] OR pathology[sh] OR etiology[sh]) AND (long-term[tiab] OR time factors[mh] OR risk factors[mh] OR prolonged[tiab] OR chronic*[tiab]) AND (bedridden[tw] OR incapacitated[tiab] OR immobil*[tiab] OR mobility limitation[mh] OR immobilization/adverse effects[mh]) NOT surgery

Vrg 2 screenen [74]

("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR unprovoked thrombosis[tiab] OR idiopathic thrombosis[tiab]) AND (screening[tiab] OR screen[tiab] OR mass screening[mh]) AND (neoplasms[mh] OR cancer[tiab] OR malignity[tiab] OR malignities[tiab])

Vrg 3 risico's & eerstelijns [75]

("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab]) AND (risk factors[mh] OR risk assessment[mh] OR risk[tiab]) AND ("Primary Health Care"[mh] OR "Family Practice"[mh] OR "family medicine"[tw] OR "general practice"[tw] OR "primary health care"[tw] OR "family practice"[tw] OR "primary care"[tw])

Vrg 4 kuitvenetrombose [33]

("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab]) AND calf[tiab] AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR systematic[sb])

Vrg 5a behandelduur breed [493]

("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab]) AND (therapy[sh] OR drug therapy[sh]) AND (time factors[mh] OR months[tiab] OR duration[tiab]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR systematic[sb])

Vrg 5b behandelduur smal [21]

("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab]) AND (therapy[sh] OR drug therapy[sh]) AND (time factors[mh] OR months[tiab] OR duration[tiab]) AND provoked[tiab]

Vrg 5c behandelduur aangescherpt [205]

("Venous Thrombosis/drug therapy"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab]) AND (drug therapy[mh] OR drug therapy[sh]) AND (three months[tiab] OR 3 months[tiab] OR six months[tiab] OR 6 months[tiab] OR time factors[mh] OR three versus[tiab] OR 3 versus 6[tiab]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR systematic[sb])

Vrg 6 NOAC's [101]

("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab]) AND (heparin, low-molecular-weight[mh] OR heparin[tiab] OR platelet aggregation inhibitors[mh] OR vitamin K/antagonists and inhibitors[mh] OR warfarin[tiab] OR vitamin K[tiab]) AND (randomized controlled trial[pt] OR random*[tw] OR effectiv*[tiab] OR side effect*[tiab] OR adverse effect*[tiab] OR (double[tw] AND blind*[tw]) OR placebo[mh] OR systematic[sb]) AND (novel oral anticoagulants[tiab] OR "apixaban"[Supplementary Concept] OR "dabigatran"[Supplementary Concept] OR "rivaroxaban"[Supplementary Concept])

Vrg 7 D-dimeer [69]

("Venous Thrombosis/blood"[Mesh] OR "Venous Thrombosis/diagnosis"[Mesh]) AND ("Fibrin Fibrinogen Degradation Products"[Mesh] OR D-dimer[tiab] OR point-of-care systems[mh] OR point-of-care[tiab]) AND ("Predictive Value of Tests"[Mesh] OR "Sensitivity and Specificity"[Mesh])

Vrg 8 echografie [47]

("Venous Thrombosis/ultrasonography"[mh] OR deep vein thrombosis/ultrasonography[mh] OR venous thromboembolism/ultrasonography[mh]) AND (ultrasonography[mh] OR compression ultraso*[tiab] OR whole-leg compression[tiab] OR complete ultraso*[tiab] OR CUS[tiab] OR duplex ultraso*[tiab] OR (whole-leg[tiab] AND ultraso*[tiab]) OR lower-limb ultraso*[tiab]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR systematic[sb])

Vrg 9 vliegen [49]

("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab]) AND (air[tiab] AND travel[tiab] OR flying[tiab])

Vrg 10a trombofiliescreening [26]

("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab]) AND (thrombophilia[mh] OR thrombophilia[tiab]) AND screening[tiab] AND (effectiv*[tiab] OR value[tiab] OR indication*[tiab] OR predictive[tiab] OR useful*[tiab])

Vrg 10b trombofiliescreening andere termen [159]

("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab]) AND (thrombophilia[mh] OR thrombophilia[tiab] OR factor V/genetics[mh] OR prothrombin/genetics[mh]) AND (screening[tiab] OR testing[tiab]) AND (effectiv*[tiab] OR value[tiab] OR indication*[tiab] OR predictive[tiab] OR useful*[tiab])) NOT ("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab]) AND (thrombophilia[mh] OR thrombophilia[tiab]) AND screening[tiab] AND (effectiv*[tiab] OR value[tiab] OR indication*[tiab] OR predictive[tiab] OR useful*[tiab]) AND ("2008/01/01"[PDat] : "3000/12/31"[PDat]))

Vrg 11 tromboflebitis [16]

(thromboflebitis[tiab] OR superficial vein thrombosis[tiab]) AND (treatment[tiab] OR therapy[sh]) AND (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw] OR systematic[sb] OR meta-anal*[tiab])

Vrg 12 steunkousen preventie [29]

("Postthrombotic Syndrome"[Mesh] OR "post-thrombotic syndrome"[tiab] OR "postthrombotic syndrome"[tiab] OR postphlebitic syndrome[tiab] OR post-phlebitic syndrome[tiab]) AND compression stockings[tiab] AND (prevent[tiab] OR preventive[tiab] OR prevention[tiab] OR prevention and control[sh])

Vrg 13 effect PTS [40]

("Postthrombotic Syndrome"[Mesh] OR "post-thrombotic syndrome"[tiab] OR "postthrombotic syndrome"[tiab] OR postphlebitic syndrome[tiab] OR post-phlebitic syndrome[tiab]) AND (effect[tiab] OR effective[tiab] OR effectiveness[tiab] OR efficacy[tiab]) AND (((meta-analysis[pt] OR meta-anal*[tw] OR metaanal*[tw]) OR ("quantitative review"[tw] OR "systematic review"[tw] OR "methodologic review"[tw]) OR (review[pt] AND Cochrane[tw]) NOT (letter[pt] OR comment[pt] OR editorial[pt])) OR (randomized controlled trial[pt] OR random*[tw] OR (double[tw] AND blind*[tw]) OR placebo[tw]))

Vrg 14a bedrust vs bewegen breed [131]

("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab]) AND (bedrest[tiab] OR bed-rest[tiab] OR mobilis*[tiab] OR mobiliz*[tiab] OR ambulation[tiab] OR early ambulation[mh])

Vrg 14b bedrust vs bewegen smal [12]

("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab]) AND (bedrest[tiab] OR bed-rest[tiab]) AND (mobilis*[tiab] OR mobiliz*[tiab] OR ambulation[tiab] OR early ambulation[mh])

Vrg 15 maligniteit & middelen [329]

("Neoplasms"[Mesh] OR malignancy[tiab] OR malignancies[tiab] OR cancer patients[tiab] OR oncologic patients[tiab]) AND ("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab]) AND (heparin, low-molecular-weight[mh] OR coumarins[mh] OR warfarin[mh] OR low-molecular-weight heparin[tiab] OR coumarin*[tiab] OR warfarin[tiab])

Vrg 16 maligniteit & lengte behandeling [353]

("Neoplasms"[Mesh] OR malignancy[tiab] OR malignancies[tiab] OR cancer patient[tiab] OR cancer patients[tiab]) AND ("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab]) AND (time factors[mh] OR long-term[tiab] OR short-term[tiab])

Vrg 17 classificatiesystemen [28]

(postphlebitic syndrome[mh] OR post-thrombotic syndrome[tiab] OR postthrombotic syndrome[tiab] OR post-phlebitic syndrome[tiab]) AND (classification*[tiab] OR classification[sh] OR scoring system[tiab] OR scoring systems[tiab])

Update noot 6 post-trombotisch syndroom [103]

("Postthrombotic Syndrome"[Mesh] OR "post-thrombotic syndrome"[all fields] OR "postthrombotic syndrome"[all fields]) AND ("definition"[All Fields] OR "criteria"[All Fields] OR "Classification"[All Fields])

Update noot 17 klinische beslisregel [10]

"clinical decision rules"[All Fields] AND ("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab])

Specifieke searches, oktober 2013

Vrg 18 verkleining recidiefkans [23]

("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab]) AND (aspirin[mh] OR aspirin[tiab] OR carbaspirin calcium[supplementary concept] OR "Hydroxymethylglutaryl-CoA Reductase Inhibitors"[Mesh] OR statin*[tiab]) AND (recurrence[tiab] OR recurrent[tiab] OR recurring[tiab] OR recurrence/prevention and control[mh] OR secondary prevention[tiab]) AND (randomized controlled trial[pt] OR random*[tw] OR effectiv*[tiab] OR (double[tw] AND blind*[tw]) OR placebo[mh] OR systematic[sb] OR meta-anal*[tiab])

Vrg 19 risico roken [116]

("Venous Thrombosis"[mh] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab]) AND (smoking[mh] OR smoking[tiab]) AND (risk[mh] OR risk factors[mh] OR risk[tiab]) AND (systematic[sb] OR meta-anal*[tiab] OR cohort studies[mh] OR cohort[tiab] OR research support, non-U.S. gov't[pt])

Eindsearch, mei 2014

Gevonden artikelen sinds laatste specifieke search [193]

("Venous Thrombosis"[Majr] OR deep vein thrombosis[tiab] OR deep venous thrombosis[tiab] OR venous thromboembolism[tiab] OR VTE[tiab] OR pulmonary embolism[tiab] OR "Postthrombotic Syndrome"[Majr] OR "post-thrombotic syndrome"[tiab] OR post-phlebitic syndrome[tiab]) AND (meta-anal*[tiab] OR systematic review[tiab] OR systematic[sb] OR randomized[tiab] OR randomised[tiab] OR placebo[mh])