

## SPECIFIEKE ZOEKSTRATEGIE NHG-STANDAARD DEPRESSIE

Searchperiode: oktober 2008 – september 2010

"Depressive Disorder"[Majr] AND ((meta-analysis[pt] OR meta-anal\*[tw] OR metaanal\*[tw]) OR (quantitativ\* AND review\*[tw] OR systematic\* AND review\*[tw] OR methodologic\* AND review\*[tw]) OR (review[pt] AND (medline[tw] OR Cochrane[tw])) NOT (letter[pt] OR comment[pt] OR editorial[pt]))

"Depressive Disorder"[Majr] AND ("guideline"[pt] OR "practice guideline"[pt] OR "health planning guidelines"[mh] OR "consensus development conference"[pt] OR "consensus development conference, nih"[pt] OR "consensus development conferences as topic"[mh] OR "consensus development conferences, nih as topic"[mh] OR "guidelines as topic"[mh] OR "practice guidelines as topic"[mh] OR ("consensus"[ti] AND "statement"[ti]))

"Depressive Disorder"[Majr] AND ("family practice"[mh] OR "primary health care"[mh])

"Depressive Disorder"[Majr] AND ("ethnic groups"[mh] OR "minority groups"[mh] OR ethnology[sh])

"Depressive Disorder"[Majr] AND ("Ann Intern Med"[Journal] OR "Arch Intern Med"[Journal] OR "BMJ"[Journal] OR "Br J Gen Pract"[Journal] OR "Eur J Gen Pract"[Journal] OR "Fam Pract"[Journal] OR "J Fam Pract"[Journal] OR "JAMA"[Journal] OR "Lancet"[Journal] OR "N Engl J Med"[Journal] OR "Ned Tijdschr Geneeskd"[Journal] OR "Qual Saf Health Care"[Journal] OR "Scand J Prim Health Care"[Journal])

"Depressive Disorder"[Majr] AND ("sex ratio"[mh] OR "sex factors"[mh] OR "sexual development"[mh] OR "sex characteristics"[mh] OR "gonadal steroid hormones"[mh] OR prejudice[mh] OR sex-specific[tw] OR "gender difference"[tw] OR "gender differences"[tw] OR "sex ratio"[tw] OR "sex factor"[tw] OR "sex factors"[tw] OR "sex differentiation"[tw] OR "sex difference"[tw] OR "sex differences"[tw] OR "sex characteristic"[tw] OR "sex characteristics"[tw] OR "sex role"[tw] OR prejudice[tw])

"Depressive Disorder"[Majr] AND ("Sick Leave"[Mesh] OR "Rehabilitation, Vocational"[Mesh] OR "Occupational Health"[Mesh] OR "Absenteeism"[Mesh])

("2003"[Publication Date] : "2009"[Publication Date]) AND ("Depressive Disorder"[Majr] AND "Questionnaires"[Majr]) AND ("sensitivity and specificity"[mh] OR diagnosis[sh])

("2003"[Publication Date] : "2009"[Publication Date]) AND ("Depressive Disorder"[Majr] AND "risk factors"[mh]) AND "genetic predisposition to disease"[mh]

("2003"[Publication Date] : "2009"[Publication Date]) AND "Depressive Disorder"[majr] AND ("course"[ti] OR "disease progression"[mh])

("2000"[Publication Date] : "3000"[Publication Date]) AND ("Depressive Disorder"[Majr] AND "Questionnaires"[Majr]) AND "diagnosis, differential"[mh]

("2000"[Publication Date] : "3000"[Publication Date]) AND ("Depressive Disorder"[Majr] AND "mass screening"[Majr]) AND "sensitivity and specificity"[mh]

("2002"[Publication Date] : "3000"[Publication Date]) AND (("Cognitive Therapy"[majr] OR psychotherapy[majr] OR bibliotherapy[majr] OR "Psychotherapy, Brief"[majr] OR "therapy, computer-assisted"[majr]) AND ("Depressive Disorder"[Mesh] AND (psychology[sh] OR therapy[sh])))

("2002"[Publication Date] : "3000"[Publication Date]) AND (depression[mh] OR "Depressive Disorder"[Mesh] AND (psychoeducation\*[tw] OR psycho-education\*[tw]))

("1985"[Publication Date] : "3000"[Publication Date]) AND (BATHE[tw] AND ((depression[mh] OR "depressive disorder"[mh]) OR "primary health care"[mh] OR "family practice"[mh] OR "physician-patient relations"[mh]))

("1985"[PDAT] : "3000"[PDAT]) AND ("directive counseling"[mh] OR "interviews as topic/methods"[mh] AND ("depression"[Majr] OR "depressive disorder"[majr] OR "mental disorders"[majr]) AND ("primary health care"[mh] OR "family practice"[mh]) AND ("humans"[MeSH Terms] AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang])) NOT alcohol

("mental health services"[mh] OR depressive disorder[mh]) AND (migrants\*[tiab] OR "ethnic groups"[mh] OR ethnology[sh]) AND Netherlands[mh]

(depression[tw] OR depressive disorder[mh]) AND "risk factors"[mh] AND (migrants\*[tiab] OR "ethnic groups"[mh] OR ethnology[sh]) AND Netherlands[mh]

(depression[tw] OR depressive disorder[mh]) AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos\*[tw] OR predict\*[tw] OR course[tw]) AND (migrants\*[tiab] OR "ethnic groups"[mh] OR ethnology[sh]) AND Netherlands[mh]

(depression[tw] OR depressive disorder[mh]) AND (sensitivity and specificity[mh] OR sensitivity[tw] OR diagnosis[sh] OR diagnostic use[sh] OR specificity[tw] OR recognition[tw] OR presentation[tw]) AND (migrants\*[tiab] OR "ethnic groups"[mh] OR ethnology[sh]) AND Netherlands[mh]

("1999"[Publication Date] : "3000"[Publication Date]) AND (("Depressive Disorder"[Mesh] OR depression[tw]) AND psychotherapy[mh]) AND (effectiveness[tw] OR efficacy[tw] OR "treatment outcome"[mh]) AND (migrant\*[tw] OR ethnology[sh] OR "ethnic groups"[mh])

("1999"[Publication Date] : "3000"[Publication Date]) AND (("Depressive Disorder"[Mesh] OR depression[tw]) AND ("drug therapy"[mh] OR "drug therapy"[sh])) AND (effectiveness[tw] OR efficacy[tw] OR "treatment outcome"[mh]) AND (migrant\*[tw] OR ethnology[sh] OR "ethnic groups"[mh])

(depression[tw] OR depressive disorder[mh]) AND (sensitivity and specificity[mh] OR sensitivity[tw] OR diagnosis[sh] OR diagnostic use[sh] OR specificity[tw] OR recognition[tw] OR presentation[tw]) AND (migrants\*[tiab] OR "ethnic groups"[mh] OR ethnology[sh]) AND Netherlands[mh]

("1999"[Publication Date] : "3000"[Publication Date]) AND (("Depressive Disorder"[Mesh] OR depression[tw]) AND psychotherapy[mh]) AND (effectiveness[tw] OR efficacy[tw] OR "treatment outcome"[mh]) AND (migrant\*[tw] OR ethnology[sh] OR "ethnic groups"[mh])

("2002"[Publication Date] : "3000"[Publication Date]) AND (("Depression"[majr] OR "minor depression"[tw]) AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos\*[tw] OR predict\*[tw] OR course[tw])) AND ("family practice"[mh] OR "general practice"[tw] OR "family medicine"[tw] OR outpatients[mh] OR Physicians, family[mh] OR Primary health care[mh])

("2002"[Publication Date] : "3000"[Publication Date]) AND (("Depressive disorder, major"[majr] OR "major depression"[tw]) AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos\*[tw] OR predict\*[tw] OR course[tw])) AND ("family practice"[mh] OR "general practice"[tw] OR "family medicine"[tw] OR outpatients[mh] OR Physicians, family[mh] OR Primary health care[mh])

("2002"[Publication Date] : "3000"[Publication Date]) AND ("Depressive disorder"[majr] OR "depression"[majr]) AND recurrence[mh] AND ("family practice"[mh] OR "general practice"[tw] OR "family medicine"[tw] OR outpatients[mh] OR Physicians, family[mh] OR Primary health care[mh])

("2002"[Publication Date] : "3000"[Publication Date]) AND (("Depression"[mh] OR "minor depression"[tw]) AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos\*[tw] OR predict\*[tw] OR course[tw])) AND ("family practice"[mh] OR "general practice"[tw] OR "family medicine"[tw])

OR outpatients[mh] OR Physicians, family[mh] OR Primary health care[mh]) AND ("sex factors"[mh] OR gender[tw])

("2002"[Publication Date] : "3000"[Publication Date]) AND (("Depression"[mh] OR "minor depression"[tw]) AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos\*[tw] OR predict\*[tw] OR course[tw])) AND ("family practice"[mh] OR "general practice"[tw] OR "family medicine"[tw] OR outpatients[mh] OR Physicians, family[mh] OR Primary health care[mh]) AND "age factors"[mh]

("2002"[Publication Date] : "3000"[Publication Date]) AND (("Depressive disorder, major"[mh] OR "major depression"[tw]) AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos\*[tw] OR predict\*[tw] OR course[tw])) AND ("family practice"[mh] OR "general practice"[tw] OR "family medicine"[tw] OR outpatients[mh] OR Physicians, family[mh] OR Primary health care[mh]) AND "age factors"[mh]

("2002"[Publication Date] : "3000"[Publication Date]) AND (("Depressive disorder, major"[mh] OR "major depression"[tw]) AND (incidence[mh] OR mortality[mh] OR follow-up studies[mh] OR mortality[sh] OR prognos\*[tw] OR predict\*[tw] OR course[tw])) AND ("family practice"[mh] OR "general practice"[tw] OR "family medicine"[tw] OR outpatients[mh] OR Physicians, family[mh] OR Primary health care[mh]) AND ("sex factors"[mh] OR gender[tw])

("2002"[Publication Date] : "3000"[Publication Date]) AND ("Depressive disorder"[mh] OR "depression"[mh]) AND (recurrence[mh] OR relapse[tw]) AND ("family practice"[mh] OR "general practice"[tw] OR "family medicine"[tw] OR outpatients[mh] OR Physicians, family[mh] OR Primary health care[mh]) AND ("age factors"[mh] OR "sex factors"[mh] OR gender[tw])

("2002"[Publication Date] : "3000"[Publication Date]) AND "depression"[majr] AND (genetics[sh] OR "genetic predisposition to disease"[mh] OR pathogenesis[tw])

("2002"[Publication Date] : "3000"[Publication Date]) AND "depressive disorder/etiology"[majr] AND "risk factors"[mh]

("2007"[Publication Date] : "3000"[Publication Date]) AND ("Serotonin Uptake Inhibitors"[Mesh] OR "Antidepressive Agents, Second-Generation"[Mesh] OR "Antidepressive Agents, Second-Generation "[Pharmacological Action] OR "Antidepressive Agents"[Mesh] OR "Antidepressive Agents "[Pharmacological Action] OR "Hypericum"[Mesh] OR "Monoamine Oxidase Inhibitors"[Mesh] OR "Monoamine Oxidase Inhibitors "[Pharmacological Action] OR "Lithium Carbonate"[Mesh] OR "Thyroid Hormones"[Mesh] OR "Antipsychotic Agents"[Mesh] OR "Antipsychotic Agents "[Pharmacological Action] OR "Benzodiazepines"[Mesh] OR "venlafaxine "[Substance Name]) AND depression[mh] NOT "depressive disorder"[mh]

(depression[majr] NOT "Depressive Disorder"[Majr]) AND ((meta-analysis[pt] OR meta-anal\*[tw] OR metaanal\*[tw]) OR (quantitativ\* AND review\*[tw] OR systematic\* AND review\*[tw] OR methodologic\* AND review\*[tw]) OR (review[pt] AND (medline[tw] OR Cochrane[tw])) NOT (letter[pt] OR comment[pt] OR editorial[pt]))

(depression[majr] NOT "Depressive Disorder"[Majr]) AND ("guideline"[pt] OR "practice guideline"[pt] OR "health planning guidelines"[mh] OR "consensus development conference"[pt] OR "consensus development conference, nih"[pt] OR "consensus development conferences as topic"[mh] OR "consensus development conferences, nih as topic"[mh] OR "guidelines as topic"[mh] OR "practice guidelines as topic"[mh] OR ("consensus"[ti] AND "statement"[ti]))

(depression[majr] NOT "Depressive Disorder"[Majr]) AND ("family practice"[mh] OR "primary health care"[mh])

(depression[majr] NOT "Depressive Disorder"[Majr]) AND ("ethnic groups"[mh] OR "minority groups"[mh] OR ethnology[sh])

(depression[majr] NOT "Depressive Disorder"[Majr]) AND ("Ann Intern Med"[Journal] OR "Arch Intern Med"[Journal] OR "BMJ"[Journal] OR "Br J Gen Pract"[Journal] OR "Eur J Gen Pract"[Journal] OR "Fam Pract"[Journal] OR "J Fam Pract"[Journal] OR "JAMA"[Journal] OR "Lancet"[Journal] OR "N Engl J Med"[Journal] OR "Ned Tijdschr Geneeskd"[Journal] OR "Qual Saf Health Care"[Journal] OR "Scand J Prim Health Care"[Journal])

(depression[majr] NOT "Depressive Disorder"[Majr]) AND ("sex ratio"[mh] OR "sex factors"[mh] OR "sexual development"[mh] OR "sex characteristics"[mh] OR "gonadal steroid hormones"[mh] OR prejudice[mh] OR sex-specific[tw] OR "gender difference"[tw] OR "gender differences"[tw] OR "sex ratio"[tw] OR "sex factor"[tw] OR "sex factors"[tw] OR "sex differentiation"[tw] OR "sex difference"[tw] OR "sex differences"[tw] OR "sex characteristic"[tw] OR "sex characteristics"[tw] OR "sex role"[tw] OR prejudice[tw])

(depression[majr] NOT "Depressive Disorder"[Majr]) AND ("Sick Leave"[Mesh] OR "Rehabilitation, Vocational"[Mesh] OR "Occupational Health"[Mesh] OR "Absenteeism"[Mesh])

("depression, postpartum"[mh] AND ("antidepressive agents, tricyclic/therapeutic use"[mh] OR "serotonin uptake inhibitors/therapeutic use"[mh] OR "sertraline/therapeutic use"[mh]) AND ("treatment outcome"[mh] OR effectiveness[tw] OR effectivity[tw] OR effective\*[tiab] OR efficacy[tw] OR "outcome assessment"[tw] OR comparison[tiab]) AND ((Meta-Analysis[ptyp] OR Randomized Controlled Trial[ptyp] OR Review[ptyp] OR Controlled Clinical Trial[ptyp] OR Research Support, Non U S Gov't[ptyp]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))) OR ("depression, postpartum/drug therapy"[majr] AND ("treatment outcome"[mh] OR effectiveness[tw] OR effectivity[tw] OR effective\*[tiab] OR efficacy[tw] OR "outcome assessment"[tw] OR comparison[tiab]) AND ((Meta-Analysis[ptyp] OR Randomized Controlled Trial[ptyp] OR Review[ptyp] OR Controlled Clinical Trial[ptyp] OR Research Support, Non U S Gov't[ptyp]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang])))

("pregnancy"[mh] OR "breast feeding"[mh]) AND ("antidepressive agents"[mh] OR "serotonin uptake inhibitors"[mh] OR "sertraline"[mh] OR "psychotropic drugs"[mh]) AND contraindications[sh] AND ((Meta-Analysis[ptyp] OR Randomized Controlled Trial[ptyp] OR Review[ptyp] OR Controlled Clinical Trial[ptyp] OR Research Support, Non U S Gov't[ptyp]) AND (English[lang] OR French[lang] OR German[lang] OR Dutch[lang]))

("depression, postpartum/therapy"[majr] OR "depression, postpartum/prevention and control"[majr]) AND "psychotherapy/methods"[majr]

("Depression"[mh] OR "Depressive Disorder"[mh]) AND ("Cohort Studies"[Mesh] OR cohort\*[tiab] OR "Longitudinal Studies"[Mesh] OR "Follow-Up Studies"[Mesh]) AND ("Prognosis"[Mesh] OR "prognostic factors"[tiab] OR course[tiab] OR "outcome assessment (health care)"[mh] OR "treatment outcome"[mh]) AND (adult[mh] OR aged[mh] OR "older persons"[tiab] OR elderly[tiab]) AND ("family practice"[mh] OR "general practice"[tiab] OR "family medicine"[tiab])